

**In The Claims**

1. (Currently Amended) A system for enhanced extension mobility, the system comprising one or more processing units collectively operable to:

access user input indicating ~~either:~~

~~a desire of a user to logon at an endpoint in a private mode according to which the endpoint supports only an extension of the user, wherein the user can be concurrently logged on at multiple endpoints; or~~

a desire of the user to logon at the endpoint in a shared mode according to which the endpoint concurrently supports an extension of the user and one or more other extensions of one or more other users; and

~~if the user input indicates a desire of the user to logon at the endpoint in a private mode according to which the endpoint supports only an extension of the user, configure the endpoint to support only an extension of the user; and~~

~~if the in response to the user input indicates indicating a desire of the user to logon at the endpoint in a shared mode according to which the endpoint concurrently supports an extension of the user and one or more other extensions of one or more other users, configure the endpoint to concurrently support an extension of the user and one or more other extensions of one or more other users.~~

2. (Original) The system of Claim 1, wherein one or more of the processing units are located at the endpoint.

3. (Original) The system of Claim 1, wherein one or more of the processing units are located at a server remote from the endpoint.

4. (Currently Amended) The system of Claim 1, wherein the one or more processing units are operable to:

prompt the user to select between a private mode and the shared mode at the endpoint; and

receive a selection by the user of ~~either private mode or~~ shared mode at the endpoint, the selection providing the accessed user input.

5. (Original) The system of Claim 1, wherein the one or more processing units are operable to:

prompt the user to enter an extension of the user to logon at the endpoint;  
access an extension entered by the user; and  
configure the endpoint to support the entered extension.

6. (Original) The system of Claim 5, wherein the one or more processing units are operable to:

prompt the user to enter a password to logon at the endpoint;  
access a password entered by the user;  
determine whether the entered password is valid; and  
if the entered password is valid, configure the endpoint to support the entered extension.

7. (Currently Amended) The system of Claim 1, wherein the one or more processing units are further operable, in response to an incoming phone call for the user received at the endpoint, to indicate ~~a called~~ the extension of the ~~incoming phone call~~ if the endpoint is concurrently supporting multiple extensions of multiple users the user.

8. (Currently Amended) The system of Claim 7, wherein the one or more processing units are operable to display the ~~called~~ extension of the ~~incoming phone call~~ user at a display screen of the endpoint to indicate the ~~called-extension~~ phone call for the user.

9. (Currently Amended) The system of Claim 7, wherein the one or more processing units are operable to audibly announce a name of ~~a called user of the incoming phone call~~ the user to indicate the ~~called-extension~~ phone call for the user.

10. (Currently Amended) The system of Claim 7, wherein the one or more processing units are operable to play a ring tone corresponding to the ~~called~~ extension of the user to indicate the ~~called-extension~~ phone call for the user.

11. (Currently Amended) The system of Claim 1, wherein the one or more processing units are further operable, ~~if the endpoint is concurrently supporting multiple extensions~~ in response to a request from the user to place an outgoing phone call from the endpoint, to:

prompt ~~a user~~ the user to enter ~~a calling~~ the extension of ~~an~~ the user prior to placing the outgoing phone call from the endpoint; and

generate signaling data for communication with the outgoing phone call that identifies the entered ~~ealling~~ extension of the user.

12. (Currently Amended) The system of Claim 1, wherein the one or more processing units are further operable, ~~if the endpoint is concurrently supporting multiple extensions~~, to generate signaling data for communication with every outgoing phone call from the endpoint according to a predetermined extension.

13. (Currently Amended) The system of ~~Claim 1~~ Claim 43, wherein the one or more processing units are further operable, ~~if the~~ in response to the user input ~~indicates~~ indicating a desire of the user to logon at the endpoint in a private mode according to which the endpoint supports only an extension of the user, to configure the endpoint according to one or more preferences of the user.

14. (Previously Presented) The system of Claim 1, wherein the one or more processing units are further operable, in response to an outgoing phone call from the endpoint, to cause one or more of one or more call detail records (CDRs) and one or more billing records to be updated to indicate a calling extension of the outgoing phone call from the endpoint.

15. (Currently Amended) A method for enhanced extension mobility, the method comprising:

accessing user input indicating ~~either:~~

~~a desire of a user to logon at an endpoint in a private mode according to which the endpoint supports only an extension of the user, wherein the user can be concurrently logged on at multiple endpoints; or~~

a desire of the user to logon at the endpoint in a shared mode according to which the endpoint concurrently supports an extension of the user and one or more other extensions of one or more other users; and

~~if the user input indicates a desire of the user to logon at the endpoint in a private mode according to which the endpoint supports only an extension of the user, configure the endpoint to support only an extension of the user; and~~

~~if the in response to the user input indicates indicating a desire of the user to logon at the endpoint in a shared mode according to which the endpoint concurrently supports an extension of the user and one or more other extensions of one or more other users, configuring the endpoint to concurrently support an extension of the user and one or more other extensions of one or more other users.~~

16. (Currently Amended) The method of Claim 15, comprising:

prompting the user to select between a private mode and the shared mode at the endpoint; and

receiving a selection by the user of ~~either private mode or~~ shared mode at the endpoint, the selection providing the accessed user input.

17. (Original) The method of Claim 15, comprising:

prompting the user to enter an extension of the user to logon at the endpoint;

accessing an extension entered by the user; and

configuring the endpoint to support the entered extension.

18. (Original) The method of Claim 17, comprising:  
prompting the user to enter a password to logon at the endpoint;  
accessing a password entered by the user;  
determining whether the entered password is valid; and  
configuring the endpoint to support the entered extension only if the entered password is valid.

19. (Currently Amended) The method of Claim 15, further comprising, in response to an incoming phone call for the user received at the endpoint, indicating ~~a called~~ the extension of the incoming phone call if the endpoint is concurrently supporting multiple extensions of multiple users the user.

20. (Currently Amended) The method of Claim 19, comprising displaying the ~~called extension of the incoming phone call~~ user at a display screen of the endpoint to indicate the ~~called extension~~ phone call for the user.

21. (Currently Amended) The method of Claim 19, comprising audibly announcing a name of ~~a called user of the incoming phone call~~ the user to indicate the ~~called extension~~ phone call for the user.

22. (Currently Amended) The method of Claim 19, comprising playing a ring tone corresponding to the ~~called extension of the user~~ to indicate the ~~called extension~~ phone call for the user.

23. (Currently Amended) The method of Claim 15, ~~comprising, if the endpoint is concurrently supporting multiple extensions~~ wherein, in response to a request from the user to place an outgoing phone call from the endpoint, the method further comprises:

prompting ~~a user~~ the user to enter ~~a calling~~ the extension of the user prior to placing an outgoing phone call from the endpoint; and

generating signaling data for communication with the outgoing phone call that identifies the entered ~~ealling~~ extension of the user.

24. (Currently Amended) The method of Claim 15, comprising, ~~if the endpoint is concurrently supporting multiple extensions,~~ generating signaling data for communication with every outgoing phone call from the endpoint according to a predetermined extension.

25. (Currently Amended) The method of ~~Claim 15~~ Claim 44, comprising, ~~if the in response to the user input indicates~~ indicating a desire of the user to logon at the endpoint in a private mode according to which the endpoint supports only an extension of the user, configuring the endpoint according to one or more preferences of the user.

26. (Previously Presented) The method of Claim 15, further comprising, in response to an outgoing phone call from the endpoint, causing one or more of one or more call detail records (CDRs) and one or more billing records to be updated to indicate a calling extension of the outgoing phone call from the endpoint.

27. (Currently Amended) A computer-readable medium encoded with logic for enhanced extension mobility, the logic when executed operable to:

access user input indicating either:

~~a desire of a user to logon at an endpoint in a private mode according to which the endpoint supports only an extension of the user, wherein the user can be concurrently logged on at multiple endpoints; or~~

a desire of the user to logon at the endpoint in a shared mode according to which the endpoint concurrently supports an extension of the user and one or more other extensions of one or more other users; and

~~if the user input indicates a desire of the user to logon at the endpoint in a private mode according to which the endpoint supports only an extension of the user, configure the endpoint to support only an extension of the user; and~~

if the in response to the user input indicates indicating a desire of the user to logon at the endpoint in a shared mode according to which the endpoint concurrently supports an extension of the user and one or more other extensions of one or more other users, configure the endpoint to concurrently support an extension of the user and one or more other extensions of one or more other users.

28. (Previously Presented) The computer-readable medium of Claim 27, being at least partly located at the endpoint.

29. (Previously Presented) The computer-readable medium of Claim 27, being at least partly located at a server remote from the endpoint.

30. (Previously Presented) The computer-readable medium of Claim 27, wherein the logic is operable to prompt the user to select between private mode and shared mode at the endpoint, the selection by the user providing the user input.

31. (Previously Presented) The computer-readable medium of Claim 27, wherein the logic is operable to:

- prompt the user to enter an extension of the user to logon at the endpoint;
- access an extension entered by the user; and
- configure the endpoint to support the entered extension.

32. (Previously Presented) The computer-readable medium of Claim 31, wherein the logic is operable to:

- prompt the user to enter a password to logon at the endpoint;
- access a password entered by the user;
- determine whether the entered password is valid; and
- if the entered password is valid, configure the endpoint to support the entered extension.

33. (Currently Amended) The computer-readable medium of Claim 27, wherein the logic is further operable, in response to an incoming phone call for the user received at the endpoint, to indicate a ~~called~~ the extension of the ~~incoming phone call~~ if the endpoint is concurrently supporting multiple extensions of multiple users the user.

34. (Currently Amended) The computer-readable medium of Claim 33, wherein the logic is operable to display the ~~called~~ extension of the ~~incoming phone call~~ user at a display screen of the endpoint to indicate the ~~called extension~~ phone call for the user.

35. (Currently Amended) The computer-readable medium of Claim 33, wherein the logic is operable to audibly announce a name of ~~a called user of the incoming phone call~~ the user to indicate the ~~called extension~~ phone call for the user.

36. (Currently Amended) The computer-readable medium of Claim 33, wherein the logic is operable to play a ring tone corresponding to the ~~called extension~~ of the user to indicate the ~~called extension~~ phone call for the user.

37. (Currently Amended) The computer-readable medium of Claim 27, wherein the logic is further operable, ~~if the endpoint is concurrently supporting multiple extensions,~~ to:

prompt ~~a user~~ the user to enter ~~a calling~~ the extension of the user prior to placing an outgoing phone call from the endpoint; and

generate signaling data for communication with the outgoing phone call that identifies the entered ~~ealling~~ extension of the user.

38. (Currently Amended) The computer-readable medium of Claim 27, wherein the logic is further operable, ~~if the endpoint is concurrently supporting multiple extensions,~~ to generate signaling data for communication with every outgoing phone call from the endpoint according to a predetermined extension.

39. (Currently Amended) The computer-readable medium of ~~Claim 27~~ Claim 45, wherein the logic is further operable, ~~if the~~ in response to accessing the user input ~~indicates~~ indicating a desire of the user to logon at the endpoint in a private mode according to which the endpoint supports only an extension of the user, to configure the endpoint according to one or more preferences of the user.

40. (Previously Presented) The computer-readable medium of Claim 27, wherein the logic is further operable, in response to an outgoing phone call from the endpoint, to cause one or more of one or more call detail records (CDRs) and one or more billing records to be updated to indicate a calling extension of the outgoing phone call from the endpoint.



41. (Currently Amended) A system for enhanced extension mobility, the system comprising:

means for accessing user input indicating ~~either:~~

~~a desire of a user to logon at an endpoint in a private mode according to which the endpoint supports only an extension of the user, wherein the user can be concurrently logged on at multiple endpoints; or~~

a desire of the user to logon at the endpoint in a shared mode according to which the endpoint concurrently supports an extension of the user and one or more other extensions of one or more other users; and

~~means for, if the user input indicates a desire of the user to logon at the endpoint in a private mode according to which the endpoint supports only an extension of the user, configure the endpoint to support only an extension of the user; and~~

~~means for, if the~~ in response to the user input ~~indicates~~ indicating a desire of the user to logon at the endpoint in a shared mode according to which the endpoint concurrently supports an extension of the user and one or more other extensions of one or more other users, means for configuring the endpoint to concurrently support an extension of the user and one or more other extensions of one or more other users.

42. (Currently Amended) A system for enhanced extension mobility, the system comprising one or more processing units located at an endpoint and collectively operable to:

access user input indicating ~~either:~~

~~a desire of a user to logon at an endpoint in a private mode according to which the endpoint supports only an extension of the user, wherein the user can be concurrently logged on at multiple endpoints; or~~

a desire of the user to logon at the endpoint in a shared mode according to which the endpoint concurrently supports an extension of the user and one or more other extensions of one or more other users;

~~if the user input indicates a desire of the user to logon at the endpoint in a private mode according to which the endpoint supports only an extension of the user, configure the endpoint to support only an extension of the user; and~~

~~if the in response to the user input indicates indicating a desire of the user to logon at the endpoint in a shared mode according to which the endpoint concurrently supports an extension of the user and one or more other extensions of one or more other users, configure the endpoint to concurrently support an extension of the user and one or more other extensions of one or more other users. users;~~

~~in response to an incoming phone call for the user received at the endpoint, indicate a called the extension of the incoming phone call if the endpoint is concurrently supporting multiple extensions of multiple users the user;~~

~~if the endpoint is concurrently supporting multiple extensions in response to a request from the user to place an outgoing phone call from the endpoint:~~

~~prompt a user the user to enter a calling the extension of the user prior to placing an outgoing phone call from the endpoint; and~~

~~generate signaling data for communication with the outgoing phone call that identifies the entered calling extension of the user.~~

43. (New) The system of Claim 1, wherein the one or more processing units are operable to:

access user input indicating a desire of a user to logon at an endpoint in a private mode according to which the endpoint supports only an extension of the user, wherein the user can be concurrently logged on at multiple endpoints; and

in response to the user input indicating a desire of the user to logon at the endpoint in a private mode according to which the endpoint supports only an extension of the user, configure the endpoint to support only an extension of the user.

44. (New) The method of Claim 15, comprising:

accessing user input indicating a desire of a user to logon at an endpoint in a private mode according to which the endpoint supports only an extension of the user, wherein the user can be concurrently logged on at multiple endpoints; and

in response to the user input indicating a desire of the user to logon at the endpoint in a private mode according to which the endpoint supports only an extension of the user, configuring the endpoint to support only an extension of the user.

45. (New) The computer-readable medium of Claim 27, wherein the logic is further operable to:

access user input indicating a desire of a user to logon at an endpoint in a private mode according to which the endpoint supports only an extension of the user, wherein the user can be concurrently logged on at multiple endpoints; and

in response to the user input indicating a desire of the user to logon at the endpoint in a private mode according to which the endpoint supports only an extension of the user, configure the endpoint to support only an extension of the user.